


## Team 7000 and COVID guide

### Initial Response

#### Who should respond?

- Always respond to a code on your unit
- **GP5-11:** Teams 1-19
- **Everywhere else (including lobby):** Teams 20-26
- **Lobby:** ED admission teams
- MCR: code leader for all codes
- ICU Senior: secondary code leader (door monitor)
- All night teams should respond to all codes



#### ALL providers entering room **MUST** wear full PPE regardless of COVID status

- Leave room **immediately** if your PPE becomes compromised
- 5-6 masks/face shields in **trays 5 + 6** of code cart
- Gowns/gloves **on unit**

#### In room team: (*max 7 providers*; full PPE)

1. Code leader
2. Medication administration
3. Recorder
4. Chest compressions
5. Chest compressions
6. Airway management (holds mask seal)
7. Airway management (bag ventilation)

#### Outside room team roles

1. Medication supply/handoff (pharmacist)
2. Door monitor (secondary code leader)
3. Observe for PPE breaches
4. Call primary team
5. Call family to address GOC

### ACLS Delivery

\*\*\* FOLLOW STANDARD ACLS PROTOCOL \*\*\*

#### Start chest compressions **immediately**

2nd provider

- Place **backboard** and **pads**
- Connect **defibrillator**
- Assess **patient access** (needs IO?)

3rd provider

- Brings in **initial supplies**
- Place **NRB** on patient, then **surgical mask** over
- Prepare **airway supplies**

**Code cart:** outside room with **door closed**

#### Bring in room:

- defibrillator and pads
- backboard
- airway (yellow box)
- **HEPA filter** (pictured below)
- **Lucas** device if available
- epinephrine x5 calcium x1
- bicarbonate x2 flushes x10
- Labs (butterfly x2, all tubes)
- 1L Saline/Plasmalyte bag x1

### Airway

#### Do not bag patients **immediately**

1. Begin CPR, place **NRB** then surgical mask over
2. Do **3 cycles** of CPR
- If intubation team arrives
  - **Stop CPR and prioritize intubation**
  - Personnel not involved with intubation should exit
- If intubation team not yet available
  - Start bagging patient **only** with **HEPA filter**
    - One provider bagging patient
    - One provider using two hands to ensure seal
  - If no HEPA filter, **continue compression only CPR**



Official code guidelines

